XA-9613 Att'y Dkt: T3381/907709

## AMENDMENTS TO THE CLAIMS

This Listing of Claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- 1. (Previously Presented) A wiring substrate
  manufacturing method comprising a step of forming a wiring of
  a wiring substrate by an exposure treatment using a photomask
  which has a shade pattern formed on a plate, said shade
  pattern containing at least nano particles and a binder.
- 2. (Previously Presented) The wiring substrate manufacturing method according to claim 1, wherein said nano particles comprise a black pigment, and the wiring substrate manufacturing method further comprises a step of forming each of said shade patterns on said plate by printing a shade material containing said black pigment of 30% or less.
- 3. (Previously Presented) The wiring substrate manufacturing method according to claim 1, wherein said shade pattern correspond corresponds to said wirings, respectively.
- 4. (Previously Presented) The wiring substrate manufacturing method according to claim 1, wherein an area of

XA-9613

Att'y Dkt: T3381/907709

said shade pattern is relatively smaller than an area of a light transmission region having no shade pattern.

5. (Previously Presented) The wiring substrate manufacturing method according to claim 1, further comprising the steps of:

forming a line pattern for forming said wiring, in a thickness direction of a wiring substrate main body; and

forming a hole pattern which is a pattern for forming said wirings and which connects, to one another, line patterns located on difference different wiring layers.

- 6. (Original) The wiring substrate manufacturing method according to claim 1, wherein said nano particles consist of carbon.
- 7. (Original) The wiring substrate manufacturing method according to claim 1, further comprising a step of mounting one or a plurality of electronic components on a first surface of said substrate.
- 8. (Original) The wiring substrate manufacturing method according to claim 7, further comprising a step of mounting, while a second surface opposite to the first surface of said substrate faces a printed wiring substrate, the substrate on

XA-9613

Att'y Dkt: T3381/907709

which said one or plurality of electronic components are mounted, on a printed wiring substrate.

- 9-17. (Canceled).
- 18. (Previously Presented) The wiring substrate manufacturing method according to Claim 1, wherein the plate having said shade pattern formed thereon is a glass plate.
- 19. (New) The wiring substrate manufacturing method according to Claim 1, wherein the nano-particles scatter light used by the exposure treatment.